

TECHNICAL DATA SHEET

PRODUCT	HPU-LW-2-323H-N*-L**/options
SERIES	HPU-LW-2 Single Acting Air operated, hydraulic power pack for pressure testing, chemical injection and hydraulic power.



FEATURES

- Infinitely variable output pressure and flow
- · Holds static pressure without generating heat or consuming power
- Standard models are suitable for oil or water applications
- Well proven and trouble-free operation
- Designed for ease of maintenance
- Low cost servicing
- Robust construction

PERFORMANCE DATA

Max Rated Output Pressure	32,300psi (2,228bar)
Output Per Cycle	0.276 in³ (4.52cc)
Max Flow	70 in³/min (1.15 litre/min)
Max Air Supply Pressure	100psi (7bar)
Ratio	323 : 1
Air Consumption	56 scfm (1,586 NI/min)
Tank Capacity	1.65 Gallons (7.5 litres)

SEAL OPTIONS (N*)

N* (standard)	Nitrile (Buna-N) Main Seal and Check Valve Seals
V	Viton (FKM) Main Seal and Check Valve Seals
С	Chemraz (FFKM) Main Seal and Check Valve Seals (Max Rated Output Pressure 15,000psi-1,035bar)





CONSTRUCTION

L2** (optional)

Net Weight

CONSTRUCTION		
Frame and Tank	Stainless Steel Frame & Plastic Tank	
Air Motor	Anodised Aluminium / Wound Composite / Nitrile (Buna-N) Seals	
Hydraulic Cylinder	Stainless Steel	
Piston	Stainless Steel + Chrome Finish	
Outlet Port	Stainless Steel	
L1** (standard)	Nylon / Copper / Brass, Hydraulic / Air Inlet & Plated Steel Silencer	

Hydraulic Outlet 1/4" HP(F) Air Inlet 1/2" BSPP(F)

24kg (53lb)


Stainless Steel, Hydraulic / Air Inlet & Silencer

COMMON OPTIONS (BUT NOT LIMITED TO)

/ A	ATEX - Zone 1 Category II
/ Q	No tank-direct fluid inlet via Y type stainless steel strainer
/ V	No tank-direct hydraulic inlet via Y type brass strainer

GENERAL LAYOUT DRAWING

Model: HPU-LW-2-323H





HYDRAULIC PRESSURE STATIC / STALL CONDITIONS

AIR PRESSURE	HYDRAULIC PRESSURE
20psi (1.4bar)	6,000psi (414bar)
40psi (2.8bar)	12,600psi (869bar)
60psi (4bar)	19,100psi (1,317bar)
80psi (5.5bar)	25,600psi (1,765bar)
100psi (7bar)	32,300psi (2,228bar)

FLOW CURVE

HPU-LW-AZ-2-323 - Ratio 323:1

